

MTL TRANSMISSION LUBE

75wt / 80wt / 85wt

- **Race proven** 2-cycle transmission fluid.
- Prevents clutch slippage.
- MTL's special formulation provides exceptional lubrication and wear protection.
- Safe for use on both aluminum and steel clutch plates.
- Gear Oil 75wt equals the viscosity of 20wt (125cc) motor oil, 80wt equals the viscosity of 30wt (250cc) and 85wt equals the viscosity of 40wt (enduro).
- **Available in:** Liter / 128oz



| Part # | Part # | Description | Retail |
|---------|--------|-------------|--------|
| 58-6262 | 75wt | LITER | \$7.77 |
| 58-6242 | 80wt | LITER | \$7.77 |
| 58-6222 | 85wt | LITER | \$7.77 |

PRIMARY CASE LUBRICANT

- **100% Synthetic** primary case lube specifically designed for **HarleyDavidson®** motorcycles.
- Reduces clutch and fluid drag while lubricating gears, sprockets, chains and all critical primary case components.
- Superior film strength for greater protection.
- PAO synthetics provide decreased operating temperatures.
- Designed for use in all 1984 and later models with wet diaphragm spring clutches.



| Part # | Part # | Size | Retail |
|---------|--------|------|---------|
| 58-6322 | LITER | | \$11.75 |

RACING FORK FLUID

5wt / 7wt / 10wt / 15wt

- Specially formulated for high-performance cartridge and standard-type forks.
- Contains special rust & corrosion inhibitors, anti-oxidants and anti-foam agents.
- Custom blended slippery agents provide uniform fork action and eliminate stiction.
- High viscosity index (150+ VI) fluid conditions seals.
- Provides consistent viscosity over a wide temperature range.

| Part # | Part # | Description | Retail |
|---------|--------|-------------|---------|
| 58-7422 | 5wt | LITER | \$12.12 |
| 58-7442 | 7wt | LITER | \$12.12 |
| 58-7462 | 10wt | LITER | \$12.12 |
| 58-7482 | 15wt | LITER | \$12.12 |

FORK OIL

5wt / 10wt / 15wt / 20wt

- Custom blended with special high-quality, high-viscosity index hydraulic oils.
- Special additives control foaming, oxidation, rust & corrosion and conditions seals.
- Fork Oil with Lubricinol reduces stiction.
- **Available in:** Liter / 16oz

| Part # | Part # | Description | Retail |
|---------|--------|-------------|--------|
| 58-7621 | 5wt | 16oz | \$5.42 |
| 58-7622 | 5wt | LITER | \$8.14 |
| 58-7641 | 10wt | 16oz | \$5.42 |
| 58-7642 | 10wt | LITER | \$8.14 |
| 58-7661 | 15wt | 16oz | \$5.42 |
| 58-7662 | 15wt | LITER | \$8.14 |
| 58-7681 | 20wt | 16oz | \$5.42 |
| 58-7682 | 20wt | LITER | \$8.14 |



TRANSMISSION & SUSPENSION

CHAIN CASE LUBE

- **100% Synthetic** chain case lube.
- Specially formulated for all high-performance snowmobiles and Polaris® ATV's.
- Reduced cold weather oil drag.
- Exceptional cold flow characteristics.
- Increases performance while extending normal chain and sprocket life in all riding conditions.
- Exceeds API GL-5 gear lubricant specifications.



| Part # | Part # | Size | Retail |
|---------|--------|------|--------|
| 58-6522 | 16oz | | \$9.71 |

100% SYNTHETIC GEAR OIL

75w140

- Advanced **100% Synthetic** gear oil.
- For use with shaft drive and hypoid gears.
- Also for use with separate transmissions and chain cases.
- Reduced friction provides smoother shifting.
- Exceptional anti-wear and rust & corrosion protection.
- Extra-long service drain intervals. Exceeds API GL-5 gear lubricant specifications.



PREMIUM GEAR OIL

80w90

- High-quality **mineral based** gear oil.
- For use in motorcycles with shaft drive and hypoid gears.
- Also for use with separate transmissions and chain cases.
- Reduces friction providing smoother shifting.
- Excellent anti-wear and rust & corrosion protection.
- Exceeds API GL-5 gear lubricant specifications.



| Part # | Part # | Description | Retail |
|---------|--------|-------------|---------|
| 58-6442 | 75w90 | LITER | \$16.45 |
| 58-6422 | 80w90 | LITER | \$8.80 |



RACING SHOCK FLUID

Light / Medium / Heavy

- For today's high-tech shock absorbers.
- Very high viscosity index (375+ VI).
- Very low pour point (-85°F).
- Reduces friction and control corrosion.
- Shock Fluid Light has the equivalent viscosity of all Japanese OEM shock fluids.
- Shock Fluid Heavy has the equivalent viscosity as Fox® and Ohlins® shock fluids.



| Part # | Part # | Description | Retail |
|---------|--------|-------------|---------|
| 58-7222 | 3wt | 32oz | \$13.33 |
| 58-7242 | 7wt | 32oz | \$13.33 |
| 58-7262 | 10wt | 32oz | \$13.33 |

INDEX

DEALER SUPPORT

HELMETS

MX APPAREL

GOGGLES & SUNGLASSES

MX/ATV ACCESSORIES

HANDLEBARS GRIPS

STREET ACCESSORIES

STREET APPAREL

CHAIN & SPROCKETS

BRAKES & ROTORS

CLUTCHES

SUSPENSION

MIRRORS

MANUALS

LUGGAGE

CHEMICALS & LUBES

MISC.

TIE DOWNS & RAMPS

SECURITY

ELECTRICAL

FILTERS

INTAKE

EXHAUST

TIRE & WHEEL

ORDER SHEET

MISCELLANEOUS

FUEL STORAGE STABILIZER

- Prevents the deterioration of fuel.
- Stops the formation of gum and varnish.
- Works with both gasoline and diesel fuels.
- Available in: Liter / 8oz

| Part # | Part # | Size | Retail |
|---------|--------|---------|--------|
| 58-8672 | 32oz | \$10.48 | |
| 58-8671 | 8oz | \$3.69 | |



COOLANOL

- Premixed ready-to-use 50/50 blend of premium antifreeze and demineralized water.
- Protects your cooling system against cavitation, foaming, rust, corrosion.
- Provides lubrication to the water pump and seals.
- For use in aluminum and magnesium engines.

| Part # | Size | Retail |
|---------|------|---------|
| 58-8643 | 64oz | \$12.95 |



HI-TEST OCTANE BOOSTER

- Eliminates knocks and pings.
- One ounce per gallon effectively raises octane approximately 2 to 4 points.
- Legal for all racing applications.
- Will not discolor plastic gas tanks.
- Sold in special nylon-lined bottles.

| Part # | Size | Retail |
|---------|------|--------|
| 58-8661 | 16oz | \$6.78 |



WATERPROOF GREASE

- Multi-purpose lithium complex grease.
- Excellent resistance to water washout.
- Clings to metal surfaces under the most severe conditions.
- Saltwater resistant.
- Excellent protection against high loads, extreme temperatures, moisture, rust & corrosion.
- Very high temperature grease suitable for disc brake application.

| Part # | Size | Retail |
|---------|------|--------|
| 58-8621 | 16oz | \$8.02 |



QUICK 2 MIX

- Tough polypropylene graduated cylinder takes the work out of premixing.
- Allows for ease of measuring at various ratios.
- Provides gallon, liter, ounce and cc markings for accurate measurements.

| Part # | Size | Retail |
|---------|------|--------|
| 58-9010 | 20oz | \$4.19 |



Quick Spout

- Flexible Quick Spout is designed for use on all Maxima 64oz. and 128oz. plastic bottles.
- Provides quick, clean and convenient pouring.
- Cap on spout allows Quick Spout to remain on plastic bottle and prevents contaminants.

| Part # | Description | Retail |
|---------|-------------|--------|
| 58-9015 | QUICK SPOUT | \$3.02 |



DOT 5 SILICONE SUPREME BRAKE FLUID

- Silicone based brake and clutch fluid.
- Will not harm plastic or painted surfaces.
- Does not absorb moisture.
- Maintains a high boiling point to resist fading.
- Dry boiling point of 550° F.
- Not compatible with DOT 3 and DOT 4 brake fluid.

DOT 4 UNIVERSAL BRAKE FLUID

- Universal hydraulic brake and clutch fluid.
- DOT 4 is a higher temperature, longer-term fluid.
- Less susceptible to moisture contamination.
- Dry boiling point of 465° F.
- Recommended for most rider applications.
- Change fluid often for optimum performance.

RACING DOT 3 550 BRAKE FLUID

- Very high temperature hydraulic brake and clutch fluid with anti-vapor lock properties.
- Dry boiling point of 550° F.
- Ideal fluid for all racing applications.
- Compatible with DOT 3 & DOT 4 brake fluids.
- Change fluid often for optimum performance.



| Part # | Part # | Description | Retail |
|---------|--------|-------------|---------|
| 58-8845 | DOT-5 | 8oz | \$11.72 |
| 58-8841 | DOT-4 | 8oz | \$6.16 |
| 58-8861 | DOT-3 | 8oz | \$7.40 |

5 Gallon Pails & 55 Gallon Drums

- Most of Maxima's products are available in 5-gallon pails and 55-gallon drums.
- The 5-gallon pails are packed in a sturdy carton for easier and less costly UPS shipping.
- Both larger size containers offer the consumer exceptional price points.
- The economical plastic pump fits in all Maxima 5-gallon pails and 55-gallon drums.

| Part # | Part # | Description | Retail |
|---------|--------|-------------|---------|
| 58-9005 | PUMP | 5 GAL | \$33.49 |



CHEMICALS & LUBES

- INDEX
- DEALER SUPPORT
- HELMETS
- MX APPAREL
- GOGGLES & SUNGLASSES
- MX/ATV ACCESSORIES
- HANDLEBARS GRIPS
- STREET ACCESSORIES
- STREET APPAREL
- CHAIN & SPROCKETS
- BRAKES & ROTORS
- CLUTCHES
- SUSPENSION
- MIRRORS
- MANUALS
- LUGGAGE
- CHEMICALS & LUBES
- MISC.
- TIE DOWNS & RAMPS
- SECURITY
- ELECTRICAL
- FILTERS
- INTAKE
- EXHAUST
- TIRE & WHEEL
- ORDER SHEET

CHEMICALS & LUBES


CHAIN WAX

8fl.oz / 20fl.oz

- Often imitated. Never duplicated.
- Americas #1 chain lubricant.
- High-performance chain lubricant for X and O-ring chains.
- Exclusive Parafilm™ formula sprays on as a liquid, penetrates and then sets up as a soft waxy film.
- Outstanding rust & corrosion protectant.
- Will not fling-off or attract dirt.
- For street & off-road use.



| Part #s | Part # | Size | Retail |
|---------|---------|---------|--------|
| | 58-8441 | 20fl.oz | \$9.07 |
| | 58-8440 | 8fl.oz | \$6.23 |



CONTACT BRAKE CLEANER

- The best contact cleaner on the market.
- Displaces moisture and removes grease, oil and other contaminants.
- Extra heavy propellant charge provides maximum spray pressure.
- Outstanding for use on all engine and suspension parts, carburetors, brakes, ignitions, spark plugs and much more.
- Environmentally friendly—Non-caustic, No VOCs.

| Part # | Size | Retail |
|---------|---------|--------|
| 58-8471 | 20fl.oz | \$7.05 |

CLEAN-UP DEGREASER

- Multi-purpose spray-on degreaser and cleaner.
- An excellent foam air filter cleaner that washes out with water.
- Highly effective emulsion formula contains no caustic chemicals.
- Removes heavy oil, grease, road tar and other contaminants.
- Safe for plastic fenders, rubber, alloy and chrome.
- Do not use on Lexan®/plastic windshields.
- Will also strip wax from painted surfaces.



| Part # | Size | Retail |
|---------|---------|--------|
| 58-8491 | 20fl.oz | \$7.71 |



FAB1

- Advanced spray-on synthetic filter treatment.
- Will not plug foam cells or migrate off of filters.
- Catches dirt and fine dust without restricting airflow.
- Dyed dark blue to ensure even coverage.
- Resists washout from carburetor fogging.
- May be used on foam and fabric filters.
- Water-resistant.
- The ultimate air filter oil.

| Part # | Size | Retail |
|---------|---------|--------|
| 58-8241 | 20fl.oz | \$7.40 |

SC1 SILICONE DETAILER

- Restores that factory shine.
- Cleans, polishes and conditions plastic, fiberglass and painted surfaces.
- Makes clean-up easier.
- Use on undercoat on motorcycle fenders to prevent mud and dirt from adhering to plastic.
- Also effective as a light lubricant for cables and levers.
- Repels water and dries completely, leaving a luster without attracting dirt and dust.



| Part # | Size | Retail |
|---------|---------|--------|
| 58-8451 | 20fl.oz | \$7.69 |

FFT FOAM FILTER TREATMENT OIL

- Race proven synthetic foam filter treatment.
- Provides unequalled protection against the elements.
- Will not plug foam cells or migrate off of filters.
- Catches dirt and fine dust without restricting airflow.
- Dyed dark blue to ensure even coverage on all surface areas inside and out. Resists washout from carburetor fogging.
- Water-resistant. - The ultimate air filter oil.

| Part # | Size | Retail |
|---------|------|--------|
| 58-8222 | 32oz | \$9.87 |
| 58-8221 | 16oz | \$7.15 |



AEROSOLS ETC.



CRYSTAL CLEAR-CLEAN SYNTHETIC CHAIN GUARD

8fl.oz / 20fl.oz

- Special crystal clear formula resists fling-off.
- Advanced technology allows lube to penetrate critical inner pins and rollers.
- Guards chain against rust & corrosion while minimizes the attraction of dirt.
- For street & off-road use.
- Safe for use on X- and O-ring chains.



| Part # | Size | Retail |
|---------|---------|--------|
| 58-8422 | 20fl.oz | \$9.07 |
| 58-8430 | 8fl.oz | \$6.23 |

MPPL

- A superior, all-purpose spray-on penetrating lubricant.
- Provides an excellent barrier against rust & corrosion.
- Great for displacing moisture or loosening rusted nuts and bolts.
- Will not harm plastic or painted surfaces.
- Excellent fogging oil and starting fluid for engines.



| Part # | Size | Retail |
|---------|---------|--------|
| 58-8481 | 20fl.oz | \$7.40 |

SPRAY & SHINE

- Spray-on detailer contains Carnuba wax and special cleaners.
- Ideal for all painted surfaces.
- Acts as a speed wax and cleaner--simply spray-on & wipe-off, leaving a beautiful shine.
- Safe for use on Lexan®, polycarbonate windshields, painted surfaces, chrome, plastic, vinyl, glass and carbon fiber body work.



| Part # | Size | Retail |
|---------|---------|--------|
| 58-8461 | 20fl.oz | \$9.25 |

- INDEX
- DEALER SUPPORT
- HELMETS
- MX APPAREL
- GOGGLES & SUNGLASSES
- MX/ATV ACCESSORIES
- HANDLEBARS GRIPS
- STREET ACCESSORIES
- STREET APPAREL
- CHAIN & SPROCKETS
- BRAKES & ROTORS
- CLUTCHES
- SUSPENSION
- MIRRORS
- MANUALS
- LUGGAGE
- CHEMICALS & LUBES
- MISC.
- TIE DOWNS & RAMPS
- SECURITY
- ELECTRICAL
- FILTERS
- INTAKE
- EXHAUST
- TIRE & WHEEL
- ORDER SHEET